

# RAIDON



## InTANK iT2300

**1 CD-Rom Bay For 2 x 2.5" SATA Disk + 1 x 3.5"/2.5" SATA Disk**  
LED Indicator Makes Operation and Maintenance Easier

2+1 design provides 3 independent disks

The RAIDON iT2300 is an internal storage box which is easy to install and hot-swappable allowing drives to be replaced while the power is on. The iT2300 supports a 5.25" CD-ROM size. It is suitable for applications such as file servers, industrial computers, and workstations.

iT2300 can install 3 independent HDD/SSD, provide 2 2.5" HDD/SSD Tray + 1 2.5"-3.5" HDD/SSD Tray, iT2300 has 3 independent SATA host interface, so that the way of use is more diverse, the user can also use the built-in RAID card to upgrade the iT2300 to a storage device with data security.

### Features

1. Support 2 x 2.5" SATA Disk
2. Support 1 x 3.5" /2.5" SATA Disk
3. Plug & Play, No Driver Needed
4. Hot-swappable Disk Tray
5. LED Indicators for Disk Status
6. Low Noise Fan

## LED Indicators for Easier Operation and Maintenance

The iT2300 provides hard drive LED indicators on the front panel to make operation and maintenance easier. The JBOD independent capacity mode, 3 HDD/SSD data are stored separately.



## Easy-to-use disk Tray module

RAIDON's easy-to-use disk tray module comes with a key lock and secures the disk with screws. User can buy several disk tray modules and secured the disks first, once there is one disk in iT2300 is failure, just replace the disk directly. It can greatly reduce the wait time for system maintenance.




## Good Heat Dissipation

The iT2300 is equipped with a 4cm silent fan, by constantly creating air flow, heat generated by the high-speed rotation of the hard disk can be easily taken away. This maintains the normal operating temperature of the hard disk at all times and to extend the life of hard drives that will properly protect your data.



## Product Appearance Description



A 2.5" HDD status indicator LED  
 B 3.5" HDD status indicator LED  
 C 2.5" Tray Key Lock  
 D 3.5" Tray Key Lock

E 3.5" HDD tray  
 F 2.5" HDD tray

G 7 Pin SATA Connector x 1  
 H 7+15 Pin SATA Connector x 2  
 I Cooling Fan

<b>Model No.</b>	iT2300
<b>Interface</b>	3 x SATA III (6Gbps) Port
<b>Compatible Disk</b>	2 x 2.5" SATA Disk (HDD/SSD) + 1 x 3.5" /2.5" SATA Disk (HDD/SSD)
<b>Certification</b>	CE / FCC
<b>RAID Modes</b>	3 x JBOD (Single)
<b>Operating System</b>	Windows 、 Linux
<b>Cooling System</b>	1 x 4cm Low Noise Fan
<b>Electrical and Operating Requirements</b>	* Line voltage: 12V + 5V DC * Operating temperature: 32° to 104° F (0° to 40° C) * Storage temperature: -4° to 116° F (-20° to 47° C) * Relative humidity: 5% to 95% non-condensing
<b>Dimension and Weight</b>	Height: 42 mm Width: 146 mm Depth: 198 mm
<b>Product Code</b>	EAN: UPC:
<b>Carton</b>	10pcs per carton
<b>Package Accessories</b>	1 x iT2300 2 x SATA cable 1 x Accessory kit 1 x Quick Installation Guide